

Original ENGLISH FORMULA




Traducción en español colocada
en el panel lateral/posterior

CORRY'S[®]

NOT AFFECTED BY RAIN

SLUG & SNAIL DEATH (3.25)

IDEAL
FOR
VEGETABLE
GARDENS



KEEP OUT OF REACH OF CHILDREN
MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS

CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE / BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUCION: ESTE PESTICIDA PUEDE SER FATAL PARA LOS PERROS U OTRAS MASCOTAS SI SE INGIERE. MANTENGA A LAS MASCOTAS FUERA DEL AREA TRATADA. CONSULTE EL PANEL LATERAL / POSTERIOR PARA CONOCER AVISOS DE PRECAUCION ADICIONALES.

Easy To Use Meal Formula

NET.WT. 2 LBS (908 grams)

Active Ingredient:
Metaldehyde (2,4,6,8-tetramethyl-
1, 3, 5, 7-tetraoxycyclo-octane).....3.25%
Other Ingredients:.....96.75%



**Can Be Used Around Fruit and Vegetable Plants,
Lawns and Ornamental Plants too!**

Provides Up To Two Weeks of Plant Protection.

Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceedingly dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snails are growing and eating they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of **Corry's® Slug & Snail Death (3.25)** and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

- **Easy Application Container**
- **Fast, Effective Control Of Slugs and Snails**
- **Protects Fruit, Vegetable, Flower And Ornamental Gardens**
- **Contains Denatonium Benzoate**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

CAUTION: May be harmful if swallowed. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after use. **KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.**

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

IMPORTANT: Keep away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

TO APPLY: (See graphics for suggested application methods) This product is for use in Home and Garden areas. **Corry's® Slug & Snail Death (3.25)** is so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas as recommended in the graphics below. Apply heavier if infestation is severe. If slugs and snails are invading from adjacent properties, a pencil thin line the entire length of the infested area will form a barrier resulting in excellent control. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply bait every two weeks – more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 square feet.



**CORRECT
CORRECTO**



**CORRECT
CORRECTO**



**CORRECT
CORRECTO**



**INCORRECT
INCORRECTO**



**INCORRECT
INCORRECTO**

Corry's® Slug & Snail Death (3.25) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Use **Corry's® Slug & Snail Death (3.25)** to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured by: **Matson, LLC.** © 12-1-06 , P. O. Box 1820, North Bend, Washington 98045
EPA Reg. No. 8119-11 EPA Est. No. 8119-WA-1

www.protectyourgarden.com
www.metaworksbest.com

META® is a registered trademark of Lonza Ltd. and the right to use the META mark has been granted to Matson, LLC by Lonza Inc.

FIRST AID

IF SWALLOWED:

- * Call poison control center or doctor immediately for treatment advice
- * Have person sip a glass of water if able to swallow.
- * Do not induce vomiting unless told to do so by the poison control center or doctor.
- * Do not give anything by mouth to an unconscious person.

IF INHALED:

- * Move person to fresh air.
- * If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- * Call a poison control center or doctor for further treatment advice

IF ON SKIN OR CLOTHING:

- * Take off contaminated clothing.
- * Rinse skin immediately with plenty of water for 15-20 minutes.
- * Call a poison control center or doctor for treatment advice.

IF IN EYES:

- * Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- * Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- * Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call 1-800-308-3723.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

NOTICE:

Buyer assumes all responsibility for safety and use not in accordance with directions.

MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCION: ESTE PESTICIDA PUEDE SER FATAL PARA LOS PERROS U OTRAS MASCOTAS SI SE INGIERE. MANTENGA A LAS MASCOTAS FUERA DEL AREA TRATADA. CONSULTE EL PANEL LATERAL / POSTERIOR PARA CONOCER AVISOS DE PRECAUCION ADICIONALES.

AVISOS DE PRECAUCION RIESGOS PARA HUMANOS Y ANIMALES DOMESTICOS

PRECAUCION: Puede ser nocivo si se ingiere. Evite respirar el polvo. Evite el contacto con ojos, piel o ropa. Lávese minuciosamente después de utilizarlo. MANTENGASE FUERA DEL ALCANCE DE LOS NIÑOS Y DE LOS ANIMALES DOMESTICOS. Este pesticida puede ser mortal para perros y otras mascotas, si se ingiere. Mantenga a las mascotas fuera del área tratada.

IMPORTANTE: Manténgase fuera del alcance de los niños, perros y mascotas. El cebo puede ser atractivo para los perros. Encierre a sus mascotas durante la aplicación para evitar que crean que están siendo alimentados. Utilice y almacene en condiciones en donde no sea peligroso.

PRIMEROS AUXILIOS

SI SE TRAGA:

*Lame inmediatamente al centro de control de envenenamiento o al doctor para obtener más recomendaciones de tratamiento.

*Haga que la persona tome sorbos de un vaso con agua, si puede tragar.

*No induzca el vómito a menos que lo indique el centro de control de envenenamientos o el doctor.

*No le dé nada por la boca a una persona inconsciente.

SI SE INHALA:

*Lleve a la persona al aire fresco.

*Si la persona no respira llame al 911 o a una ambulancia, luego dé respiración artificial, preferible de boca a boca, si es posible.

*Lame al centro de control de envenenamiento o al doctor para obtener recomendaciones adicionales de tratamiento.

SI CAE EN LA PIEL O EN LA ROPA:

*Quítese la ropa contaminada.

*Enjuague inmediatamente la piel con mucha agua durante 15-20 minutos.

*Lame al centro de control de envenenamiento o al doctor para obtener más recomendaciones de tratamiento.

SI HAY CONTACTO CON LOS OJOS:

*Mantenga el ojo abierto y enjuague con agua despacio y con cuidado por 15-20 minutos.

* Si tuviera lentes de contacto, quítelos después de lavarse con agua en los primeros 5 minutos y después continúe lavando el ojo.

*Lame al centro de control de envenenamiento o al doctor para obtener más recomendaciones de tratamiento.

NUMERO DE LA LINEA DE ACCESO DIRECTO

Tenga a la mano el envase del producto o la etiqueta cuando llame al centro de control de envenenamiento o al doctor, o al buscar tratamiento. Para mayor información sobre este producto pesticida (incluso si tiene preguntas sobre salud, emergencias médicas o incidentes con pesticidas), llame 1-800-308-3723.

RIESGOS AMBIENTALES

Para usos terrestres, no lo aplique directamente al agua o en áreas donde hay agua en la superficie o en áreas entre mareas bajo la marea alta promedio de agua. No contamine el agua al deshacerse de la que usó para limpiar el equipo.

ALMACENAMIENTO Y ELIMINACION –

ALMACENAMIENTO: Almacene en un lugar frío, seco y cerrado lejos de la luz solar directa, en el envase original y sin acceso a niños o mascotas. Evite la contaminación de comestibles y alimentos para animales.

ELIMINACION: Si está vacío: No vuelva a usar este envase. Tirelo a la basura o, si está disponible, ofrézcalo para reciclaje. Si está parcialmente lleno: Llame a su agencia de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

PULL TAB TO OPEN

*Fórmula inglesa original

*La lluvia no lo afecta

*Ideal para hortalizas

*Envases de fácil aplicación

*Protege jardines de frutas, de vegetales, de flores ornamentales

*Fórmula de harina fácil de utilizar

*Proporciona hasta dos semanas de protección a las plantas

*!También se puede utilizar alrededor de plantas de frutas y vegetales, de césped y de plantas ornamentales!

*Control efectivo y rápido de babosas y caracoles

*Contiene benzoato de denatonio

INSTRUCCIONES DE USO

Es una violación a la ley federal usar este producto de forma inconsistente con su etiqueta.

PARA APLICAR – (Vea las gráficas para los métodos de aplicación sugeridos) Este producto es para utilizarlo en áreas de la casa y jardín. El Mata Babosas y Caracoles Corry's® (3.25) es fácil de usar. Este producto no necesita mezclarse, rociarse o de aplicadores especiales. Sólo disperse ligeramente sobre la superficie de la tierra en las áreas infestadas, según se recomienda en las gráficas que se encuentran más adelante. Aplique mayor cantidad si la infestación es severa. Si las babosas y los caracoles están invadiendo de propiedades adyacentes, una línea delgada de lápiz alrededor del área infestada formará una barrera, la cual será un excelente control. Este cebo es extremadamente atractivo para las babosas y los caracoles, y realmente los atrae desde sus escondrijos y los mata. Aplique de nuevo el cebo cada dos semanas – con mayor frecuencia durante mayores infestaciones o en áreas mucho más mojadas. Todos los lugares probables se deben tratar, ya que estas plagas migran. Les agradan los lugares húmedos alrededor de las hortalizas, los jardines de flores, jardines rocosos, setos, pilas de compost, césped de oreja de ratón, hiedra y otros cubre suelos, en donde puede obtener albergue durante el día. Para obtener mejores resultados, asegúrese que el área en la cual colocará el cebo esté húmeda. En climas muy secos, riegue bastante antes de colocar el cebo. Utilice aproximadamente una libra por 2000 pies cuadrados (185.81 metros cuadrados). El Mata Babosas y Caracoles Corry's® (3.25) se puede utilizar para proteger las siguientes plantas de frutas y de vegetales. Aplique sólo a la superficie de la tierra. No aplique al follaje o partes comestibles de la plantas. Use el Mata Babosas y Caracoles Corry's® (3.25) para proteger espárragos, frijoles, repollo, zanahorias, apio, pepinos, lechuga, melones, cebollas, chicharos, pimientos, papas, rábanos, espinaca, calabaza, tomates, nabos, manzanas, aguacates, zarcamoras, cerezas, cítricos, uvas, melocotones (durazno), ciruelas y fresas.

AVISO: El comprador asume toda la responsabilidad de seguridad y uso si no se siguen las instrucciones.

