



One Pound Treats Up To
4,400 Square Feet

CORRY'S[®]



SLUG & SNAIL PELLETS (MP)

NOT AFFECTED BY RAIN

**IDEAL
FOR
VEGETABLE
GARDENS**



Easy To Use Mini Pellet Formula

KEEP OUT OF REACH OF CHILDREN

CAUTION: THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHER PETS IF EATEN. KEEP PETS OUT OF TREATED AREA. SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET.WT. 2 LBS. (908 grams)

Active Ingredient:
Metaldehyde (2,4,6,8-tetramethyl-
1, 3, 5, 7-tetraoxycyclo-octane).....3.25%
Other Ingredients:.....96.75%



Contains Increased Active Ingredient Concentration.

**Can Be Used Around Fruit and Vegetable Plants,
Lawns and Ornamental Plants too!**

Provides Up To Two Weeks of Plant Protection.

Slugs and snails are two of our most destructive garden pests. Although their outward appearance is quite different, they are essentially the same creature, except that the slug does not have the external shell of the snail.

Slugs and snails feed almost entirely at night, in the evening or during dark days. They prefer moist, warm conditions and rarely venture from their hiding places during cold weather or during exceedingly dry or hot spells.

Slugs and snails hatch from eggs, laid in clusters, under debris, stones, compost heaps or beneath the surface of the soil. Generally, they will hatch out after 20 to 30 days of favorable weather conditions after which time they will continue to grow slowly, eating our most tender and succulent vegetation.

While these small slugs and snails are growing and eating they migrate towards better feeding and sheltering conditions. It is because of this migrating habit that it is impossible to completely eliminate the slug and snail problem. However, with the use of **Corry's® Slug & Snail Pellets (MP)** and a consistent baiting program, these pests can be reduced to where they no longer present a major threat to our gardens.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

TO APPLY: (See graphics for suggested application method) This product is for use in Home and Garden areas. **Corry's® Slug & Snail Pellets (MP)** are so easy to use. This product requires no mixing, spraying or special applicators. Just scatter lightly on the soil surface in infested areas as recommended in the graphics below. Apply heavier if infestation is severe. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply bait every two weeks – more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests migrate. They favor damp places around vegetable plants, flower gardens, rockeries, hedges, compost heaps, dichondra lawns, ivy patches and other ground cover where they can obtain shelter by day. For best results, be sure area to be baited is damp. In very dry weather, water well before baiting. Use approximately one pound per 2000 - 4400 square feet depending on severity of slug and snail infestation.



CORRECT



INCORRECT



INCORRECT



INCORRECT

Corry's® Slug & Snail Pellets (MP) can be used to protect the following fruit and vegetable plants. Apply only to the soil surface. Do not apply to the foliage or edible parts of the plant. Use **Corry's® Slug & Snail Pellets (MP)** to protect asparagus, beans, cabbage, carrots, celery, cucumbers, lettuce, melons, onions, peas, peppers, potatoes, radishes, spinach, squash, tomatoes, turnips, apples, avocados, blackberries, cherries, citrus, grapes, peaches, plums and strawberries.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, locked location out of direct sunlight, in original container, and not accessible to children or pets. Avoid contamination of feed and foodstuffs.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PULL TAB
TO OPEN

CORRY'S SLUG & SNAIL PELLETS (MP)

- *Easy Application
Container*
- *Fast, Effective Control
of Slugs and Snails*
- *Protects Fruit,
Vegetable, Flower And
Ornamental Gardens*
- *Contains Denatonium
Benzoate*
- *One Pound Treats Up
To 4,400 Square Feet*
- *Fast Acting Formula*

NOTICE:

Buyer assumes all responsibility
for safety and use not in
accordance with directions.

0 70585 22000 1

Manufactured by
Matson, LLC. ©12-1-06
P. O. Box 1820
North Bend, Washington 98045
EPA Reg. No. 8119-13
EPA Est. No. 8119WA-1
www.protectyourgarden.com
www.metaworksbest.com

META® is a registered trademark of
Lonza Ltd. and the right to use the
META mark has been granted to
Matson, LLC. by Lonza Inc.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed.
Avoid breathing dust. Avoid contact with skin,
eyes or clothing. Wash thoroughly after use.
**KEEP OUT OF REACH OF CHILDREN AND
DOMESTIC ANIMALS.** This pesticide may be
fatal to dogs or other pets if eaten. Keep pets
out of treated area.

IMPORTANT: Keep away from children,
dogs and pets. Bait may be attractive to
dogs. Confine pets during application to
prevent them from believing they are being
fed. Use and store under conditions where
there will not be a hazard.

FIRST AID

IF SWALLOWED:

- * Call poison control center or doctor
immediately for treatment advice.
- * Have person sip a glass of water if able
to swallow.
- * Do not induce vomiting unless told to do so
by the poison control center or doctor.
- * Do not give anything by mouth to an
unconscious person.

IF INHALED:

- * Move person to fresh air.
- * If person is not breathing, call 911 or an
ambulance, then give artificial respiration,
preferably by mouth-to-mouth, if possible.
- * Call a poison control center or doctor
for further treatment advice.

IF ON SKIN OR CLOTHING:

- * Take off contaminated clothing.
- * Rinse skin immediately with plenty of
water for 15-20 minutes.
- * Call a poison control center or doctor for
treatment advice.

IF IN EYES:

- * Hold eye open and rinse slowly and
gently with water for 15-20 minutes.
- * Remove contact lenses, if present, after the
first 5 minutes, then continue rinsing eye.
- * Call a poison control center or doctor for
treatment advice.

HOT LINE NUMBER

Have the product container or label with you
when calling a poison control center or doctor,
or going for treatment. For information on
this pesticide product (including health
concerns, medical emergencies, or pesticide
incidents), call 1-800-308-3723.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to
water, or to areas where surface water is
present or to intertidal areas below the mean
high water mark. Do not contaminate water
when disposing of equipment wash waters.